

Pour en savoir plus : Bibliographie article S. GUDIN

Aarts, J.F.T., 1957. Over de houdbaarheid van snijbloemen. Medel. Landbouw. 57: 1-62.

Alaey, N. ; Babalar, M. ; Naderi, R. et Kafi, M., 2011. Effect of pre- and postharvest salicylic acid treatment on physio-chemical attributes in relation to vase-life of rose cut flowers. Postharvest Bio. Techn. 81 : 91-94.

André, P.; Flanzy, C.; Buret, M.; Chambroy, Y.; Dauplè, P.; Pelisse, C. et Blanc, R., 1980. Etude de la conservation après récolte de fleurs, fruits et légumes au moyen de la prééfrigération par le vide associée à des atmosphères modifiées. PHM Rev. Hort. 204 : 23-32.

Barthe, P. ; Vaillant, V. et Gudin, S., 1991. Definition of indicators of senescence in the rose : effect of the application of plant hormones. Acta Hort. 298: 61-68.

Dauchmann, P., 1989. Roses en post-récolte. Fleurs de France. Décembre : 591.

Durkin, D.J., 1981. Factors affecting hydration of cut flowers. Acta Hort. 113:109-117.

Durkin, D.J., 1982. Studies on the handling of cut rose flowers. Roses Inc. Bull. October: 43-55.

Durkin, D.J., 1983. Hydration of cut rose flowers. Roses Inc. Bull. April: 76-83.

Durkin, D.J. et Kuc, R., 1966. Vascular blockage and senescence of the cut rose flower. Proc. Amer. Soc. Hort. Sci. 89: 683-688.

Fanourakis, D.; Carvalho, S.M.P.; Almeida, D.P.F.; van Kooten, O.; van Doorn, W.G. et Heuvelink E., 2012. Postharvest water relations in cut rose cultivars with contrasting sensitivity to high relative air humidity during growth. Postharvest Bio. Techn. 64: 64-73.

Garello, G.; Ménard, C.; Dansereau, B. et Le Page-Degivry, M.T., 1995. The influence of light quality on rose flower senescence : involvement of abscisic acid. Plant Growth Regul. 16: 135-139.

Gudin, S., 1992. Effect of preharvest growing temperatures on the development of cut roses. Postharvest Bio. Techn. 2: 155-161.

Gudin, S.; Crespel, L. et Le Bris, M., 2007. Utilisation de quelques tests physiologiques sur la sélection de variétés de roses coupées. C. R. Biologies. 330 : 656-663.

Halevy, A.H. et Mayak, S., 1973. Improvement of cut flower quality opening and longevity by preshipment treatments. ISHS Symposium on Cultivation of Flowers under Protection in the Mediterranean Region. Barcelona. April: 24-28.

Halevy, A.H. et Mayak, S., 1979. Senescence and postharvest physiology of cut flowers, part 1. Hort. Rev. 1: 204-236.

Halevy, A.H. et Mayak, S., 1981. Senescence and postharvest physiology of cut flowers, part 2. Hort. Rev. 1: 59-127.

Halevy, A.H.; Byrne, T.G.; Kofranek, A.M.; Farnham, D.S.; Thompson, J.F. et Hardenburg, R.E., 1978. Evaluation of postharvest handling methods for transcontinental truck shipments of cut carnations, chrysanthemums, and roses. *J. Amer. Soc. Hort. Sci.* 103: 151-155.

Hammer, P.E.; Evensen, K.B. et Janisiewicz, W.J., 1993. Postharvest control of *Botrytis cinerea* on cut rose flowers with pyrrolnitrin. *Plant Dis.* 77: 283-286.

Hammer, P.E. et Marois, J.J., 1989. Nonchemical methods for postharvest control of *Botrytis cinerea* on cut roses. *J. Amer. Soc. Hort. Sci.* 114: 100-106.

Hammer, P.E.; Marois, J.J.; Mc Donald, J. et Reid, M., 1988. Postharvest control of *Botrytis cinerea* infections on cut roses. III. Postharvest botrytis control using fungistatic atmospheres. *Roses Inc. Bull.* May: 45-50.

Jowkar, M. M.; Kafi, M.; Khalighi, A. et Hasanzadeh, N., 2012. Reconsideration in using citric acid as vase solution preservative for cut rose flowers. *Current Res. J. Bio. Sci.* 4: 427-436.

Kaltaler, R.E.L. et Steponkus, P.L., 1976. Factors affecting respiration in cut roses. *J. Amer. Soc. Hort. Sci.* 101: 352-354.

Kiani, S. et Shani, K.M., 2011. Effects of pre-harvest foliar application of different rates and sources of calcium on yield and quality of « Ilona » cut rose flower. *J. Sci. Techn. Greenhouse Culture.* 2: 65-74.

Kohl, H.C., 1961. Rose neck drop. *Calif. State Flor. Assoc.* 10: 4-5.

Krofanek, A. et Halevy, A.H., 1972. Conditions for opening cut chrysanthemum flower buds. *J. Amer. Hort. Sci.* 97: 578-584.

Le Bohec, J. et Jestin, Y., 1974. Le « vacuum cooling » ou refroidissement par le vide. *Revue d'Horticulture.* 3: 19-24.

Le Page-Degivry, M.T. ; Orlandini, M. ; Garello, G. ; Barthe, P. et Gudin,S., 1991. Regulation of ABA levels in senescing petals of rose flowers. *J. Plant Growth Regul.* 10: 67-72.

Liao, L. J.; Lin, Y. H.; Huang, K. L.; Chen, W. C. et Cheng, Y. M., 2000. Postharvest life of cut rose flowers as affected by silver thiosulfate and sucrose. *Bot. Bull. Acad. Sin.* 41: 299-303.

Macnish, A.J.; de Theije, A.; Reid, M.S. et Jiang, C.Z., 2009. An alternative postharvest handling strategy for cut flowers-dry handling after harvest. *Acta Hort.* 847: 215-221.

Macnish, AJ.; Morris, K.L.; de Theije, A.; Mensink, M.G.J.; Boerrigter, H.A.M.; Reid, M.S.; Jiang, C.Z. et Woltering, E.J., 2010. Sodium hypochlorite: a promising agent for reducing *Botrytis cinerea* infection on rose flowers. *Postharvest Bio. Techn.* 58: 262-267.

Marousky, F.J., 1971. Inhibition of vascular blockage and increased moisture retention in cut roses induced by pH, 8-hydroxyquinoline citrate and sucrose. *J. Amer. Soc. Hort. Sci.* 96: 38-41.

Marissen, N., 2003. Postharvest quality of roses as related to preharvest conditions. *Acta Hort.* 669: 27-32.

Mattson, R.H. et Widmer, R.E., 1971. Effects of carbon dioxide during growth on vase life of greenhouse rose. *J. Amer. Soc. Hort. Sci.* 96: 284.

Mayak, S. et Halevy, A.H., 1972. Interrelationship of ethylene and abscisic acid in the control of rose petal senescence. *Plant Physiol.* 50: 341-346.

Mayak, S.; Halevy, A.H. et Katz, M., 1972. Correlative changes in phytohormones in relation to senescence processes in rose petals. *Plant Physiol.* 27: 1-4.

Mehran, A.; Hossein, D.G. et Tehranifar, A., 2007. Effects of pre-harvest calcium fertilization on vase life of rose cut flowers cv. Alexander. *Acta Hort.* 804: 46-48.

Meir, S.; Droby, S.; Davidson, H.; Alsevia, S.; Cohen, L.; Horev B. et Philosph-Hadas, S., 1998. Suppression of botrytis rot in cut rose flowers by postharvest application of methyl jasmonate. *Postharvest Bio. Techn.* 13: 235-243.

Moe, R., 1975. The effect of growing temperatures on keeping quality of cut roses. *Acta Hort.* 41: 77-92.

Mortensen, L.M. et Gislerod, H. R., 1999. Influence of air humidity and lighting period on growth, vase life and water relations of 14 rose cultivars. *Scientia Hort.* 74: 1-10.

Nabigol, A., 2012. Pre-harvest calcium sulphate application improves postharvest quality of cut rose flowers. *African J. Bio.* 11: 1078-1083.

Parups, E.V. et Peterson, E.A., 1973. Inhibition of ethylene production in plant tissues by 8-hydroxyquinoline. *Can. J. Plant Sci.* 53: 351-353.

Parups, E.V. et Voisey, P.W., 1976. Lignin content and resistance to bending of the pedicel in greenhouse grown roses. *J. Hort. Sci.* 51: 253-259.

Paulin, A., 1985. Physiologie de la sénescence des fleurs coupées. *C. R. Acad. Agri. France.* 11 : 1201-1210.

Reid, M.S. et Evans, R.Y., 1989. Ethylene affection roses : growers may need to use STS. *Ornamental Northwest Newsletter*: 13: 12-14.

Sabehat, A. et Zieslin, N., 1995. Promotion of postharvest increase in weight of rose (*Rosa hybrida* cv. Mercedes) petals by gibberellin. *J. Plant Physiol.* 145: 296-298.

Salveit, M.E., 1980. An inexpensive chemical scrubber for oxidizing volatile organic contaminants in gases and storage room atmosphere. *HortScience.* 15: 759-760.

Sankar, M.V. et Bhattacharjee, S.K., 2001. Growth, flowering and postharvest life of *Rosa hybrida* cv. "Raja Surendra Singh of Nalagarh" as affected by nitrogen doses. *Himachal J. Agri. Res.* 26: 166-172.

Seif, M.; Khalighi, A.; Mostofi, Y. et Naderi, R., 2012. Effect of sodium nitroprusside on vase life and postharvest quality of cut rose cultivar (*Rosa hybrida* "Utopia"). *J. Agri. Sci.* 12: 174-181.

Song, X.; Wang, W.; Zhang, C.; Ma, Q. et Li, Y., 2011. Postharvest physiochemical responses of cut rose (*Rosa hybrida* L.) to antitranspirant and vacuum cooling. *Philip. Agri. Scientist.* 4: 48-51.

Staby, G.L.; Cunningham, M.S.; Holstead, C.L.; Kelly, J.W.; Konjoian, P.S.; Eisenberg, B.A. et Dressler, B.S., 1984. Storage of rose and carnation flowers. *J. Amer. Soc. Hort. Sci.* 109: 193-197.

Torre, S.; Borochov, A. et Halevy, A.H., 1999. Calcium regulation of senescence in rose petals. *Physiol. Plantarum.* 107: 214-219.

Torre, S.; Fjeld, T.; Gislerod, H.R. et Moe, R., 2003. Leaf anatomy and stomatal morphology of greenhouse roses grown at moderate or high air humidity. *J. Amer. Soc. Hort. Sci.* 128: 598-602.

van Alfen, V., 1982. Wilts: concepts and mechanism. In: Mount and Lacy (eds.). *Phytopathogenic prokaryotes.* Vol. 1. Acad. Press.

van Doorn, W.G. et D'hont, K., 1994. Interaction between the effects of bacteria and dry storage on the opening and water relations of cut rose flowers. *J. Appl. Bacteriol.* 77: 644-649.

van Doorn, W.G.; Groenewegen, G.; van de Pol, P.A.. et Berkholst, C.E.M., 1991. Effects of carbohydrate and water status on flower opening of cut Madelon roses. *Postharvest Bio. Technol.* 1: 47-57.

Zagory, D. et Reid, M.S., 1986. Role of vase solution microorganisms in the life of cut flowers. *J. Amer. Soc. Hort. Sci.* 111: 154-158.

Zamani, S.; Kazemi, M. et Aran, M., 2011. Postharvest life of cut rose flowers as affected by salicylic acid and glutamin. *World Appl. Sci. J.* 12: 1621-1624.

Zieslin, N., 1990. Postharvest control of vase life and senescence of rose flower. *Acta Hort.* 261: 257-264.

Zieslin, N. et Ben-Zaken, R., 1991. Peroxidases, phenylalanine ammonia-lyase and lignification in peduncles of rose flowers. *Plant Physiol. Biochem.* 29: 147-151.

Zieslin, N. et Khayat, E., 1990. Effect of alternating night temperature and cytokine application on the activity of enzymes of sucrose metabolism in leaves, young shoots and rose petals. *Plant Cell Physiol.* 31: 845-849.

Zieslin, N.; Starkman, F. et Zamski, E., 1989a. Growth of rose flower peduncles and effects of applied plant growth regulators. *Plant Growth Regul.* 8: 65-76.

Zieslin, N.; Starkman, F. et Zamski, E., 1989b. Bending of rose peduncles and the activity of phenylalanine ammonia lyase in the peduncle tissue. *Plant Physiol. Biochem.* 27: 431-436.